

REMUS

 **REMUS**®
PERFORMANCE SPORT EXHAUSTS

NEW DEVELOPMENT 2024 | #01

**Cayenne E-Hybrid / E-Hybrid Coupe,
type P0536/9YA, 10/2020=>04/2023**

3.0l V6 Turbo Hybrid engine power
250 kW / system performance 340
kW (DCB, with GPF)

VSD-BACK-SYSTEM CENTERED:

WEIGHT

- 1,4 Kg



AVAILABLE FOR ORDER NOW
DELIVERY WITH CALENDAR WEEK 30

PREMIER

Cayenne E-Hybrid / E-Hybrid Coupe, type P0536/9YA, 10/2020=>04/2023

3.0l V6 Turbo Hybrid engine power 250 kW /
system performance 340 kW (DCB, with GPF)

ABOUT

Front Muffler-Back-System:

680023 1300 + 680023 1000 + 680023 1500 + 680023 9999 + tail pipe set! No vehicle modifications required!
Additionally for mounting of the sport exhaust system following Porsche OEM part (actuator) needs to be organised:
1 pce part no. 4N0 133 246A. This actuator is not included!

The use of racing products and products that do not have EC approval is not permitted on public roads.

When installing REMUS sports silencers, cat-back systems and cat replacement pipes designed for use on closed roads, it is advantageous to carry out ECU re-mapping in order to utilise the optimum performance of the exhaust system and prevent the engine control light from lighting up.

680023 1500

Sport exhaust centered (absorption principle) for L/R system

with integrated valves L/R

Installation/fitting at the serial mounting points
Can only be used in combination with 680023
1000 + 680023 1500 + 680023 9999 + tail pipe
set

incl. mounting material

Additionally for mounting of the sport exhaust
system following Porsche OEM part (actuator)
needs to be organised: 1 pce part no. 4N0 133
246A. This actuator is not included! The system
includes a Y-cable for connecting both actuators
with the onboard electronics of the vehicle.

The activation of the valves is carried out using
the original actuators via the vehicle onboard
electronics.

incl. EC type approval

1.515,-

680023 1300

non resonated center section replacement tube

Connection to front parts at the
manufacturer connection point
Installation/fitting at the serial mounting
points

Incl. mounting material

Can only be used in combination with
680023 1000 + 680023 1500 + 680023
9999 + tail pipe set
Original tube Ø 65 mm - REMUS tube Ø 70
mm

incl. EC type approval

384,-

680023 1000

Connection tubes (center section replacement tube to sport exhaust) left and right with spherical clamp connection

Installation/fitting at the serial mounting
points

Incl. mounting material

Can only be used in combination with
680023 1300 + 680023 1500 + 680023
9999 + tail pipe set Original tube Ø 65 mm -
REMUS tube Ø 70 mm -
incl. EC type approval

462,-

680023 9999

Set of outlet tubes (quad flow)

consisting of:

2 outer outlet tubes

2 inner outlet tubes

Incl. mounting material

356,-

DESIGN

MAKES THE DIFFERENCE



0046 70SGR

Stainless steel tail pipe set

4 tail pipes Ø 102 mm angled, straight cut, chrome-plated, with adjustable spherical clamp connection

340,-



0046 70SR

Stainless steel tail pipe set

4 tail pipes Ø 102 mm angled, rolled edge, chromed, with adjustable spherical clamp connection

392,-



0046 70SGBR

Stainless steel tail pipe set

4 tail pipes Ø 102 mm angled, straight cut, black chrome, with adjustable spherical clamp connection

420,-



0046 98CR

Stainless steel tail pipe set

4 tail pipes Ø 98 mm Street Race, straight, carbon insert, with adjustable spherical clamp connection

512,-



0046 70CSRX

Carbon tail pipe set

4 tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection

968,-



0046 98CBR

Stainless steel tail pipe set

4 tail pipes Ø 98 mm Street Race Black Chrome, straight, carbon insert, with adjustable spherical clamp connection

564,-

THE SOUND OF **REMUS**®

FIRST CLASS QUALITY DESIGNED & BUILT IN EUROPE | AUSTRIA

www.remus.eu

     [remus.sportexhaust](https://www.tiktok.com/remus.sportexhaust)

 **REMUS Innovation GmbH**
Ruhmannstraße 11
A-8570 Voitsberg
